


From the people who care as much as you do.

We strive for 100% customer satisfaction.



We Care



FENCE FACTS

Country Estate® is the original polyvinyl fence.





Like many home and ranch owners, you may be gathering information about Country Estate Fence because it is, once properly installed, free from traditional maintenance. Virtually every fence project is custom-fitted to a particular setting so we don't attempt to give pricing in the Fence Facts manual. An Authorized Independent Country Estate Dealer in your area will, however, come to your home and provide an obligation-free quotation to help you complete your project.

Thousands of homeowners have installed Country Estate Fence and we're always impressed with the positive comments they make. The bright white polymers and scientifically formulated color pigments compounded exclusively by Country Estate provide an agelessness found nowhere else in the fence industry.

Your Authorized Independent Country Estate Dealer will be contacting you soon, but always feel free to call Nebraska Plastics, Inc. at 308-784-2500 or NPE at 252-482-1530 for assistance. Thank you, once again, for asking about Country Estate Fence.

A handwritten signature in black ink, reading "Paul German".

Paul German, President
Nebraska Plastics, Inc.

A handwritten signature in black ink, reading "Bob McGrath".

Bob McGrath, National Sales Manager
Country Estate Fence

A photograph of a white vinyl fence with Gothic-style caps, set against a backdrop of lush green trees and a clear sky. In the foreground, there are vibrant purple and pink flowers in a planter box.

We Care



Thank you for asking ...

This page: *Lakeland*® Convex with Gothic Caps



The Test of Time...

*Eliminate peeling, flaking, rusting,
blistering or corrosion . . .
and discourages horses cribbing
. . . and never paint again.*



FOR YOUR INFORMATION

Country Estate Products . . . Matchless Integrity	5	Louvered	28
Finding a Good Dealer and/or Installer	5	Melbourne®	28
Do You Need a Fence Contractor?	6	Melbourne™ with Lattice	28
Our 50 Year Non-Prorated Limited Warranty	7	Montauk®, Montauk® Point-Straight, Step & Scallop	29
No Lead Added	7	Whitland®	30
The Original Polyvinyl Fence	38	Windsor®	31
Planning Your Project	6		
Our Customers Say It Best	12, 14, 16	HVHZ Lakeland IIa, HVHZ Lakeview IIa	32
Country Estate History	43	Dura-Lattice	34

COUNTRY ESTATE FENCE STYLES

Picket Fence	8	Country Estate® Gates	35
Avondale™	9	Rail Fence	36
Brandywine™	10	2-Rail Fence	37
Brewster™	11	3-Rail Fence	37
Dawson®	12	4-Rail Fence	37
Hampton®	13	Round Rail Fence	37
Lincolnshire®	14	HAND RAILING	
Malibu®	15	Country Estate® Hand Railing	40
Missouri™	17	TIMBER ESTATE	44
Pacific™	17	COUNTRY ESTATE® FENCE AND RAILING OPTIONS	
Potomac™	18	Colors	39
Rochester®	16	Post Cap Styles	39
Sacramento™	18	Custom Gates	34
		Hardware	39
Semi-Privacy Fence	20	POPULAR COUNTRY ESTATE® PRODUCTS	
Caribbean®	21	Embossed	42
Kensington™	22	Streaked	42
Lakeview™	24	Maxwell Rail	42
Whitmore®	24	Spider Board	42
Privacy Fence	26		
Lakeland®, Lakeland® Convex and Lakeland® Concave	27		
Hollingsworth™	27		

Country Estate® Products . . . matchless integrity.

The durability and life-long strength of the polyvinyl chloride compounds used in the manufacture of Country Estate Fence produce a traditional fence that endures rugged use and the test of time. Country Estate Fence is a deterrent to deterioration from moisture, temperature extremes, ultraviolet exposure . . . and time itself. Plus, maintenance is reduced to an absolute minimum.



polyvinyl fence provides their animals. The day Country Estate Fence is installed, all traditional fence maintenance halts.



PVC fencing was originated by the manufacturers of Country Estate Fence, and like a true champion, Country Estate Fence continues to outperform traditional fencing products and PVC imitators. Years and years after your decision to use Country Estate

Fence, you will have transferred many maintenance dollars and workdays to better investments. Using Country Estate Fence is your best management decision.

All Country Estate
PVC products may be recycled.



Finding a Good Dealer and/or Installer

Both Country Estate Products and you must rely on a Country Estate Authorized Independent dealer/installer to guarantee his workmanship. Country Estate Products can be no better than the quality of the work that goes into the installation. In each area, Country Estate Products attempts to find the very best independent, professional dealer/installer to represent us.

A dealer/installer can be no better than your willingness to express your expectations. Put them in writing and make them a part of your contract. Choose a product and/or style that will meet your expectations.

Ideally, your Authorized Independent Country Estate dealer/installer is someone you know or who has installed successfully for someone you know. If this is not the case, we suggest the following:

1. Confirm the name of your Authorized Independent Country Estate dealer/installer by calling Nebraska Plastics, Inc. at 308-784-2500 or NPE at 252-482-1530. Home improvement impostors prey on those unwilling to do their homework.

2. The Country Estate warranty is not valid unless the entire installation consists of Country Estate Products. When registering your warranty, the installer must attest that he has not mixed products from other manufacturers.

3. Ask for references. Check with the Better Business

Bureau.

4. Before purchasing, review online or download a free Country Estate Planning and Installation Guide at www.countryestate.com. Study it. Specify that your Country Estate Products be installed as recommended. Remember, however, that the Installation Guide provides for regional differences.

5. Before purchasing, discuss building codes, building permits, location of underground utilities, property lines and the exact location of your new fence. Determine who is responsible for each item.

6. When the job is complete, register your warranty as provided by your official copy of the warranty.

7. Do not assume the lowest price or the warranty with the longest time period is the best value.

8. Anticipate the need for an earnest money down payment at the time you place your order. Depending on the size of the project, the dealer may require progress payments. Do not pay in full until the project is complete.

9. Work with a contract or purchase order.

These common sense procedures will help assure a trouble-free installation.

Do you need a fence contractor?

An experienced professional with proper tools makes a job look easy and he produces a quality product. He will provide you with your total cost before the project begins. His expertise will help you with:

1. Building codes and permits, plus licenses and insurance as needed. Each political sub-division establishes its own requirements so they vary widely.

2. Buried utility lines can pose a danger. If you are not familiar with the “locator service” in your area, contact a utility and they will place you in touch. Most locator services will mark all buried lines to the meter—you will need to identify buried lines between any meter and

your residence (including electrical, gas, water, sewer, telephone and TV cable). Errors can be very expensive and may put your fence contractor and his employees at great risk.

If you are installing your own Country Estate Fence, call Nebraska Plastics, Inc. at 308-784-2500 or NPE at 252-482-1530 for a free installation guide. Or download one from our website www.countryestate.com. The Country Estate warranty requires that the fencing be installed according to the manufacturer’s recommendations.

Planning your project . . .

To assure the beauty of your investment, give considerable thought to location and alignment. With property-line fencing, you may wish to have your property surveyed. Check local building codes for height and set-back requirements. Apply for building permits and allow sufficient approval time prior to your scheduling of an installation crew. Discuss these requirements with your Authorized Independent Country Estate dealer/installer. He may offer to help you with the application forms. You may request a free copy of our publication: Country Estate Fence Products Installation Instructions.

Homeowners who wish to install their own Country Estate Fence and professional fence installers who have a reputation for good quality work find that most of the procedures they use with traditional fence materials are directly transferable to Country Estate Fence. Because of the versatility of Country Estate Fence Products and the varying needs of the property owners who purchase our products, there are numerous design and installation options available. Discuss these options with your Authorized Independent Country Estate dealer/installer before ordering.

The materials for most Country Estate Fence installations arrive at the job site with the posts, rails and/or panels pre-cut to length. If job site fabrication is required, the PVC in Country Estate Fence can be cut with hand or power saws. For best results, use a saw with a finishing blade that has no offset in its teeth.


For fabricating gates and panels, we provide either self-tapping stainless steel screws or PVC rivets. Drill starter holes to assure that screw heads set flush and secure against the PVC surface. Polyvinyl products must be installed to permit expansion and contraction.

Remember: As with traditional fencing materials, for the personal safety of those using power equipment, make certain that all electrical equipment is properly grounded; that hands, face and eyes are adequately protected; and that all equipment is operated as recommended by its manufacturer.



Country Estate® Products carry the industry’s finest 50-Year Warranty or Limited Lifetime Warranty.

If you find a major manufacturer's published warranty on PVC fencing that you and/or your attorney feel will better protect your investment than Country Estate's published warranty, submit your request to us in writing along with a copy of the competitor's warranty and we will warrant our product using the competitor's warranty rather than ours.



PVC You Can Trust

In countries outside of the United States, it is not uncommon for lead to be used as a stabilizer in PVC compounds because it is cheaper and easier to process than the high-quality, safe alternatives. There is currently no federal law in the United States that prohibits producing or selling vinyl products, which contain lead. It is up to the manufacturers of vinyl products to police themselves and follow ethical business practices to keep lead out of their products. Nebraska Plastics, the manufacturer of Country Estate vinyl fence, deck and railing, feels that consumers should not have to worry about harmful lead hidden in PVC products and is proud to be able to state that they never have and never will use lead as a stabilizer in their vinyl products.




Picket Fence

This page: *Hampton® Step*
(Shown in Almond color)

more
than
50 styles

We Care

The elegant lines of the Avondale bring out the country charm in any home, whether it's located at the end of a country lane or the middle of town. Replace the maintenance of the classic wooden fence while gaining concave styling and a six-inch bottom rail that removes the temptation from small pets that think they can squeeze under and between the pickets. You'll call it a win-win design for everyone.




Standard Height Options:	48", 60", or 72"
Post Spacing Options: (Notice - Posts must be exactly centered to allow for expansion.)	8' center-to-center
Suggested Post Dimensions:	48" High Fence = 5" x 5" x 72" 60" High Fence = 5" x 5" x 96" 72" High Fence = 5" x 5" x 108"
Standard Post Depth: (Local conditions may require additional depth.)	48" High Fence = 24" Post Depth 60" High Fence = 36" Post Depth 72" High Fence = 36" Post Depth
For post cap options see page 39.	
Horizontal Dimensions:	2" x 3 1/2" x 95" (Top)
Horizontal Dimensions:	2" x 6" x 95" (Bottom)
Pickets (Verticals) Spacing Between Pickets:	2"
Dimensions:	7/8" Thick x 3" Wide
Ground Clearance:	2"
(Grade variations will cause inconsistent ground clearance measurements.)	
Bill of Materials may differ in some areas.	



(Shown in Almond and White)




For the nostalgic feel of a traditional picket fence, you can’t go wrong with the Brandywine. Its 7/8 x 3-inch pickets are spaced just under two inches apart for the perfect balance of privacy and openness. However, unlike many picket-style fences, the Brandywine features pickets that are flush with the bottom rail for a clean line that’s safe for children, pets and lawn equipment.



Standard Height Options:	36", 42", or 48"
Post Spacing Options:	8' center-to-center (Notice - Posts must be exactly centered to allow for expansion.)
Suggested Post Dimensions:	36" High Fence = 5" x 5" x 60" 42" High Fence = 5" x 5" x 66" 48" High Fence = 5" x 5" x 72"
Standard Post Depth: (Local conditions may require additional depth.)	36" High Fence = 24" Post Depth 42" High Fence = 24" Post Depth 48" High Fence = 24" Post Depth
For post cap options see page 39.	
Horizontal Dimensions:	2" Thick x 3 1/2" Wide
Pickets (Verticals) Spacing Between Pickets: Dimensions:	1.7" 7/8" Thick x 3" Wide
Ground Clearance: (Grade variations will cause inconsistent ground clearance measurements.)	2"
Bill of Materials may differ in some areas.	




With its clean, crisp top and bottom lines, Brewster is a contemporary pattern that complements any of today’s modern home styles. Whether its role is to keep children and pets in the yard, provide a protective barrier around your yard or simply accent the beauty of your home, the Brewster does the job without hiding the aesthetics that lies beyond. Thanks to an alternating combination of 1 ½ and 3-inch pickets on two-inch spacing, it meets most codes without blocking the view or the breeze.



Standard Height Options:	36", 42", or 48"
Post Spacing Options:	8' center-to-center (Notice - Posts must be exactly centered to allow for expansion.)
Suggested Post Dimensions:	36" High Fence = 5" x 5" x 60" 42" High Fence = 5" x 5" x 66" 48" High Fence = 5" x 5" x 72"
Standard Post Depth: (Local conditions may require additional depth.)	36" High Fence = 24" Post Depth 42" High Fence = 24" Post Depth 48" High Fence = 24" Post Depth
For post cap options see page 39.	
Horizontal Dimensions:	2" Thick x 3 1/2" Wide
Pickets (Verticals) 8' Post Spacing Dimensions:	2" Between Pickets 7/8" Thick x 1 1/2" Wide 7/8" Thick x 3" Wide
Ground Clearance: (Grade variations will cause inconsistent ground clearance measurements.)	2"
Bill of Materials may differ in some areas.	



The Dawson is designed for elegance. It is at home with many modern or classic American homes. Traditional Country Estate construction includes sturdy 5" x 5" posts, reinforced horizontals and exquisite cap design. Dawson provides semi-privacy with a hint of the landscape behind it. See your Country Estate authorized independent dealer for all of the details.



Standard Height Options:	48", 60", 72"
Post Spacing Options: (Notice - Posts must be exactly centered to allow for expansion.)	8' center-to-center
Suggested Post Dimensions:	48" High Fence = 5" x 5" x 72" 60" High Fence = 5" x 5" x 96" 72" High Fence = 5" x 5" x 108"
Standard Post Depth:	48" High Fence = 24" Depth 60" High Fence = 36" Depth 72" High Fence = 36" Depth
For post cap options see page 39.	
Horizontal Dimensions:	2" Thick x 3.5" Wide (Top) 2" Thick x 3.5" Wide (Middle) 2" Thick x 6" Wide (Bottom)
Picket Dimensions (Verticals):	1 1/2" Thick x 1 1/2" Wide
Ground Clearance: (Grade variations will cause inconsistent ground clearance measurements.)	2"
Bill of Materials may differ in some areas.	




Our customers say it best . . .

I am very happy with the fence! I have had numerous compliments on the beauty of it. Friends and strangers have stopped to get a good look. Some come to the house to ask where and who put it in. Our dealer was very helpful in helping me decide location, length, end pieces, etc.
M.E.C. - Charlton City, MA


Our dealer was prompt to take care of our needs and requests. We are very pleased with the project.
M.R.J. - Omaha, NE

With the expertise of our Country Estate dealer, my back yard looks like a million bucks!
C.C. - Rosedale, NY

The Hampton Series provides three distinct styles for widely varying American home designs, available with straight, scalloped, or the new step profile. Strong verticals provide plenty of air-flow and semi-privacy at the same time.



Standard Height Options:	48", 60", or 72"
Post Spacing Options: (Notice - Posts must be exactly centered to allow for expansion.)	8' center-to-center
Suggested Post Dimensions:	48" High Fence = 5" x 5" x 72" 60" High Fence = 5" x 5" x 96" 72" High Fence = 5" x 5" x 108"
Standard Post Depth: (Local conditions may require additional depth.)	48" High Fence = 24" Post Depth 60" High Fence = 36" Post Depth 72" High Fence = 36" Post Depth
For post cap options see page 39.	
Horizontal Dimensions:	2" Thick x 3 1/2" Wide (Top) 2" Thick x 6" Wide (Bottom)
Pickets (Verticals) Picket Dimensions:	1 7/8" Between Pickets 1 1/2" Thick x 1 1/2" Wide
Ground Clearance: (Grade variations will cause inconsistent ground clearance measurements.)	2"
Bill of Materials may differ in some areas.	




U.S. Patent No. D378,784 (Shown in Almond color)



(Shown in Adobe color)

Lincolnshire features diamond shaped verticals for greater strength and reduced open space between pickets. The clean lines and dynamic shadowing appears the same from either side of the fence. This sturdy design looks great with modern home styles.



Check with local building codes for pool enclosure regulations.

Our customers say it best . . .


I have had three wood fences with 20-year guarantees that have rotted out. This one will last and always look new.
C.W. - Yorba Linda, CA

We have received so many great comments about the Hampton fence. It was almost overwhelming. It truly changed the look of our house.
G.P. - Carmel, IN

I was very impressed with the quality of work performed by the installer. He was courteous, neat and a very skilled craftsman.
E.G. - Oswego, IL

Both my wife and I are very happy with our fence. Some of our friends liked it also and have contracted the same dealer to install fences around their pools.
R.G. - Bloomsburg, PA

The Malibu from Country Estate is the contemporary design alternative with lifelong durability. Enjoy the beauty of traditional white fence without the traditional maintenance. The clean, smooth lines fit many applications including pool enclosures. (Warning: Check local building codes for pool enclosure regulations.) It is constructed of pure virgin polyvinyl compounds that consistently outperform any and all wood, metal or imitation polyvinyl fence products.



Check with local building codes for pool enclosure regulations.


Standard Height Options:	48", 60", or 72"
Post Spacing Options:	8' center-to-center (Notice - Posts must be exactly centered to allow for expansion.)
Suggested Post Dimensions:	48" High Fence = 5" x 5" x 72" 60" High Fence = 5" x 5" x 96" 72" High Fence = 5" x 5" x 108"
Standard Post Depth:	48" High Fence = 24" Post Depth (Local conditions may require additional depth.)
For post cap options see page 39.	
Horizontal Dimensions:	3 1/2" Wide x 3 1/2" Thick (Top & Bottom) 2" Wide x 3 1/2" Thick (Middle)
Pickets (Verticals) Picket Dimensions:	3 1/4" Between Pickets 1 1/2" Wide x 1 1/2" Thick
Ground Clearance:	2" (Grade variations will cause inconsistent ground clearance measurements.)
Bill of Materials may differ in some areas.	



Standard Height Options:	36", 42", or 48"
Post Spacing Options:	4' or 6' center-to-center (Notice - Posts must be exactly centered to allow for expansion.)
Suggested Post Dimensions:	36" High Fence = 4" x 4" x 60" 42" High Fence = 4" x 4" x 66" 48" High Fence = 4" x 4" x 72"
Standard Post Depth:	36" High Fence = 24" Post Depth (Local conditions may require additional depth.)
For post cap options see page 39.	
Horizontal Dimensions:	2" Thick x 3 1/2" Wide
Pickets (Verticals) 4' Post Spacing 6' Post Spacing Dimensions:	1 13/16" Between Pickets 1 7/8" Between Pickets 1" Thick x 2" Wide
Ground Clearance:	2" (Grade variations will cause inconsistent ground clearance measurements.)
Bill of Materials may differ in some areas.	



Rochester provides semi-privacy with plenty of free airflow. The clean design makes it ideal for many home styles. You’ll like the neighbor friendly style because it looks identical from either side.



(Shown in Almond)

Standard Height Options:	48", 60", 72"
Post Spacing Options:	8' center-to-center (Note – Posts must be exactly centered to allow for expansion.)
Suggested Post Dimensions:	48" High Fence = 5" x 5" x 72" 60" High Fence = 5" x 5" x 96" 72" High Fence = 5" x 5" x 108"
Standard Post Depth:	48" High Fence = 24" Depth 60" High Fence = 36" Depth 72" High Fence = 36" Depth
For post cap options see page 39.	
Horizontal Dimensions:	2" Thick x 3 1/2" Wide (Top, Mid & Bottom Rails)
Picket Dimensions (Verticals):	7/8" Thick x 3" Wide
Ground Clearance:	2" (Grade variations will cause inconsistent ground clearance measurements.)
Bill of Materials may differ in some areas.	

Our customers say it best . . .

We have the best fence at Lake Barnadette Golf Course. All our neighbors want to do theirs. We have given or passed the name of the company who did our fence and hoped for the best. We selected 3 companies who could have done the job. We liked the design and the price was right from the Country Estate dealer who did a great job. Thank you.

M.P. - Zephyrhills, FL

Staff and Service were beyond anything we expected. It’s a treat when people really care and show it. Thanks.

T.S.T. - Calgary, Alberta

The manager took the time to drive 30 miles to our home and visit with me about the fence type I wanted, the way it would be put up and how it would blend in with our home, at no cost or high pressure sales pitch. I also talked to other dealers of fencing and they would not take the time to come to our home and see what I wanted to do. I would highly recommend our Country Estate dealer to anyone! Their workers are neat, clean and take an interest in the job they do.


B.P. - Hutchinson, KS

Tom Sawyer would have loved the clean look of the picket-style Missouri fence, no matter which side faced his beloved Mississippi River. Best of all, he would have never had the chore of painting it every few years, or had to con his friends into helping him.

Standard height	36", 42", and 48"
Post spacing option	6' center-to-center
Suggested post dimension	36" = 4" x 4" x 60" 42" = 4" x 4" x 66" 48" = 4" x 4" x 72"
Standard post depth	36" High Fence = 24" 42" High Fence = 24" 48" High Fence = 24"

For post cap options see page 39.

Horizontal Dimension	2" Thick x 3 1/2" Wide x 71" Long
Pickets	7/8" Thick x 3" Wide
Spacing	3 1/2" spacing
Ground Clearance	2"
Bill of Materials may differ in some areas.	




Available in three heights, the Pacific provides a secure boundary for pets and children, yet provides free air movement and a clean look that complements any yard. Its simple, smooth-line design can be further personalized with your choice of cap designs to make it your own.

Standard height	36", 42", and 48"
Post spacing option	6' center-to-center
Suggested post dimension	36" = 4" x 4" x 60" 42" = 4" x 4" x 66" 48" = 4" x 4" x 72"
Standard post depth	36" High Fence = 22" 42" High Fence = 22" 48" High Fence = 22"

For post cap options see page 39.

Horizontal Dimension	2" Thick x 3 1/2" Wide x 71" Long
Pickets	7/8" Thick x 1 1/2" Wide
Spacing	3 1/2" spacing
Ground Clearance	2"
Bill of Materials may differ in some areas.	



Potomac™


With its sturdy, evenly spaced pickets, the Potomac provides a distinctive style that complements a variety of home designs. Yet, this economical option still offers all the trouble-free features of virgin polyvinyl that make it free from traditional maintenance.

Standard height	48", 60", and 72"
Post spacing option	6' center-to-center
Suggested post dimension	48" = 5" x 5" x 72" 60" = 5" x 5" x 96" 72" = 5" x 5" x 108"
Standard post depth	48" High Fence = 24" 60" High Fence = 36" 72" High Fence = 36"

For post cap options see page 39.

Horizontal Dimension	2" Thick x 3 1/2" Wide x 71" Long (Top) 2" Thick x 6" Wide x 71" Long (Bottom)
Pickets	7/8" Thick x 3" Wide
Spacing	3 11/32" spacing
Ground Clearance	2"

Bill of Materials may differ in some areas.



Potomac™

Sacramento™


With its 1 1/2-inch square pickets, the Sacramento is the perfect compromise between a traditional picket fence and a contemporary Pacific style. As a result, it looks equally at home beside a concrete driveway or a brick sidewalk.

Standard height	48", 60", and 72"
Post spacing option	6' center-to-center
Suggested post dimension	48" = 5" x 5" x 72" 60" = 5" x 5" x 96" 72" = 5" x 5" x 108"
Standard post depth	48" High Fence = 24" 60" High Fence = 36" 72" High Fence = 36"

For post cap options see page 39.

Horizontal Dimension	2" Thick x 3 1/2" Wide x 71" Long (Top) 2" Thick x 6" Wide x 71" Long (Bottom)
Pickets	1 1/2" Thick x 1 1/2" Wide
Spacing	3 3/4" spacing
Ground Clearance	2"

Bill of Materials may differ in some areas.



Sacramento™



Cusotom Embossed Streaked Adobe with Maxwell Top and Large Bottom Rail and Federation Caps

Malibu®



Brandywine
White




Semi-Privacy Fence

This page: *Kensington™*
(Shown in Almond)

more
than
50 styles

We Care

The clean lines of Caribbean style fence are like a welcome sea breeze. Carefully spaced verticals let fresh air flow through without sacrificing the privacy you desire. Concerned about design? You'll find the sleek Caribbean style is complementary to many of today's modern home styles. While your neighbors are scraping and painting their wood fence, you can lean back in your lawn chair and silently congratulate yourself for choosing Country Estate Fence, free from traditional maintenance.



Standard Height Options:	48", 60", 72", 84", or 96"
Post Spacing Options:	6' or 8' center-to-center (Notice - Posts must be exactly centered to allow for expansion.)
Suggested Post Dimensions:	48" High Fence = 5" x 5" x 72" 60" High Fence = 5" x 5" x 96" 72" High Fence = 5" x 5" x 108" 84" High Fence = 5" x 5" x 120" 96" High Fence = 5" x 5" x 144"
Standard Post Depth: (Local conditions may require additional depth.)	48" High Fence = 24" Post Depth 60" High Fence = 36" Post Depth 72" High Fence = 36" Post Depth 84" High Fence = 36" Post Depth 96" High Fence = 48" Post Depth
For post cap options see page 39.	
Horizontal Dimensions:	2" Thick x 3 1/2" Wide
Pickets (Verticals) 6' Post Spacing 8' Post Spacing Dimensions:	5/8" Between Pickets 15/16" Between Pickets 1" Thick x 6" Wide
Ground Clearance: (Grade variations will cause inconsistent ground clearance measurements.)	2"
Bill of Materials may differ in some areas.	



(Shown in Almond)



Caribbean
Endpost Caps shown no longer available



(Shown in Almond)



Caribbean

There was a time when fences were considered a restriction . . . a wall of sorts. Country Estate's many privacy and residential fence designs are changing that perception. Kensington's trim efficiency will add beauty and value to your property while allowing air flow. Your neighbors will recognize it as a strikingly beautiful addition to the neighborhood and it will never become an eye-sore begging for paint. The boards won't peel or blister, the nails won't rust, and the posts won't rot off. Country Estate Fence replaces those problems with ultra-violet resisters and impact modifiers that assure strength and beauty.


Standard Height Options:	48", 60", 72", 84", or 96"
Post Spacing Options: (Notice - Posts must be exactly centered to allow for expansion.)	6' or 8' center-to-center
Suggested Post Dimensions:	48" High Fence = 5" x 5" x 72" 60" High Fence = 5" x 5" x 96" 72" High Fence = 5" x 5" x 108" 84" High Fence = 5" x 5" x 120" 96" High Fence = 5" x 5" x 144"
Standard Post Depth: (Local conditions may require additional depth.)	48" High Fence = 24" Post Depth 60" High Fence = 36" Post Depth 72" High Fence = 36" Post Depth 84" High Fence = 36" Post Depth 96" High Fence = 48" Post Depth
For post cap options see page 39.	
Horizontal Dimensions:	2" Thick x 3 1/2" Wide
Pickets (Verticals) 6' Post Spacing 8' Post Spacing Dimensions:	1 7/32" Between Pickets 1 3/8" Between Pickets 1" Thick x 6" Wide and 1" Thick x 2" Wide
Ground Clearance: (Grade variations will cause inconsistent ground clearance measurements.)	2"
Bill of Materials may differ in some areas.	



Kensington



Kensington



Kensington

Check with local building codes for pool enclosure regulations. (Shown in Almond)




Kensington



Kensington

Lakeview™

With its 5 1/2-inch vertical pickets, the Lakeview offers semi-privacy combined with nominal air flow for that perfect blend of openness and seclusion, particularly in areas that are prone to high winds. The approximate one-inch spacing between pickets all but block the view looking in, especially when viewed at an angle.



Standard Height Options:	48", 60", or 72"
Post Spacing Options:	8' center-to-center (Notice - Posts must be exactly centered to allow for expansion.)
Suggested Post Dimensions:	48" High Fence = 5" x 5" x 84" 60" High Fence = 5" x 5" x 96" 72" High Fence = 5" x 5" x 108"
Standard Post Depth: (Local conditions may require additional depth.)	48" High Fence = 36" Post Depth 60" High Fence = 36" Post Depth 72" High Fence = 36" Post Depth
For post cap options see page 39.	
Horizontal Dimensions:	2" Thick x 3 1/2" Wide (Top) 2" Thick x 7" Wide (Bottom)
Pickets (Verticals) Picket Dimensions:	Approx. 1" Between Pickets 1 1/2" Thick x 5 1/2" Wide
Ground Clearance:	2" (Grade variations will cause inconsistent ground clearance measurements.)
Bill of Materials may differ in some areas.	



(Shown in Adobe and Almond)

Lakeview



This page: *Kensington®*
(White)

Whitmore®

Standard Height Options:	48", 60", and 72"
Post Spacing Options:	8' center-to-center (Notice - Posts must be exactly centered to allow for expansion.)
Suggested Post Dimensions:	48" High Fence = 5" x 5" x 84" 60" High Fence = 5" x 5" x 96" 72" High Fence = 5" x 5" x 108"
Standard Post Depth: (Local conditions may require additional depth.)	48" High Fence = 36" Post Depth 60" High Fence = 36" Post Depth 72" High Fence = 36" Post Depth
Horizontal Dimensions:	4" Thick x 6" Wide (Top) 7/8" Thick x 3" Wide (Middle) 2" Thick x 6" Wide (Bottom) 1.5" Thick x 1.5" Wide (Center Verticals)
Horizontal Spacing:	48" High Fence = 0.70" Spacing 60" High Fence = 0.77" Spacing 72" High Fence = 0.81" Spacing
Ground Clearance:	2" (Grade variations will cause inconsistent ground clearance measurements.)
Bill of Materials may differ in some areas.	



Whitmore



(Solar caps purchased separately.)




Privacy Fence

This page: *Hollingsworth*
(Shown in Adobe)


We Care

The Lakeland provides a solid privacy wall that features tongue-and-groove verticals for greater fence strength. Some Country Estate customers prefer Lakeland as pictured here . . . but others add a decorative eye-level layer of lattice. Lakeland has proven to be a solid choice among homeowners who want full privacy for their yard.



Lakeland

Hollingsworth



Lakeland
(concave)

Lakeland
(convex)

Standard Height Options:	48", 60", 72", 84", or 96"
Post Spacing Options:	8' center-to-center (96" High - 75" center-to-center)
(Note – Posts must be exactly centered to allow for expansion.)	

Suggested Post Dimensions:	48" High Fence = 5" x 5" x 84"
	60" High Fence = 5" x 5" x 96"
	72" High Fence = 5" x 5" x 108"
	84" High Fence = 5" x 5" x 120"
	96" High Fence = 5" x 5" x 144"

Standard Post Depth:	48" High Fence = 36" Depth
	60" High Fence = 36" Depth
	72" High Fence = 36" Depth
	84" High Fence = 36" Depth
	96" High Fence = 48" Depth

For post cap options see page 39.

Hollingsworth Top Rail	2" x 3 1/2"
Horizontal Dimensions:	1 1/2" Thick x 5 1/2" Wide (Top/Each Side-Convex & Concave)
	2" Thick x 7" Wide (Top-Mid)
	2" Thick x 7" Wide (Bottom)

Picket Dimensions (Verticals): 7/8" Thick x 7" Wide

Ground Clearance: 2"
(Grade variations will cause inconsistent ground clearance measurements.)

Bill of Materials may differ in some areas.



Lakeland
(Almond streaked)



Lakeland
(concave)



Lakeland
(Adobe streaked with
Maxwell Rail)



Lakeland
(Adobe and White convex)




Lakeland

Standard Height Options:	48", 60", 72", 84", or 96"
Post Spacing Options:	6' center-to-center (Notice - Posts must be exactly centered to allow for expansion.)
Suggested Post Dimentions:	48" High Fence = 5 x 5 x 84" (.135) 60" High Fence = 5 x 5 x 96" (.135) 72" High Fence = 5 x 5 x 108" (.170-.205 D Wall OR .280) 84" High Fence = 5 x 5 x 132" (.280) 96" High Fence = 5 x 5 x 144" (.280)
Standard Post Depth: (Local conditions may require additional depth.)	48" High Fence = 36" Post Depth 60" High Fence = 36" Post Depth 72" High Fence = 36" Post Depth 84" High Fence = 48" Post Depth 96" High Fence = 48" Post Depth
For post cap options see page 39.	
Horizontal Dimensions:	1.5" Thick x 5.5" Wide .051" Overlap Of Horizontals
Ground Clearance:	2" (Grade variations will cause inconsistent ground clearance measurements.)
Bill of Materials may differ in some areas.	



Louvered
(Adobe)

Melbourne® and Melbourne® with Lattice



Standard Height Options:	48", 60", or 72"
Post Spacing Options:	8' center-to-center (Notice - Posts must be exactly centered to allow for expansion.)
Suggested Post Dimensions:	48" High Fence = 5" x 5" x 72" 60" High Fence = 5" x 5" x 96" 72" High Fence = 5" x 5" x 108"
Standard Post Depth: (Local conditions may require additional depth.)	48" High Fence = 24" Post Depth 60" High Fence = 36" Post Depth 72" High Fence = 36" Post Depth
For post cap options see page 39.	
Horizontal Dimensions:	3 1/2" Thick x 3 1/2" Wide
Pickets (Verticals) Picket Dimensions:	5 3/8" Between Pickets 1" Thick x 6" Wide
Ground Clearance:	2" (Grade variations will cause inconsistent ground clearance measurements.)
Bill of Materials may differ in some areas.	




Melbourne
(Adobe)



Melbourne with Lattice

(Shown in Gray)

The Country Estate Montauk Series provides the privacy you desire beyond a simple wall. You can control the appearance by selecting one of our family of styles which has been designed by our Country Estate dealers to accommodate various home styles across America.



Montauk
(straight)

Montauk

Montauk
(step)

Montauk
(scallop)

Standard Height Options:	48", 60", 72", 84", or 96"
Post Spacing Options:	8' center-to-center (96" High - 75" center-to-center) (Note – Posts must be exactly centered to allow for expansion.)
Suggested Post Dimensions:	48" High Fence = 5" x 5" x 84" 60" High Fence = 5" x 5" x 96" 72" High Fence = 5" x 5" x 108" 84" High Fence = 5" x 5" x 120" 96" High Fence = 5" x 5" x 144"
Standard Post Depth:	48" High Fence = 36" Depth 60" High Fence = 36" Depth 72" High Fence = 36" Depth 84" High Fence = 36" Depth 96" High Fence = 48" Depth
For post cap options see page 39.	
Horizontal Dimensions:	2" Thick x 7" Wide (Bottom) 2" Thick x 7" Wide (Middle) 2" Thick x 3 1/2" Wide (Top – Montauk only) 2" Thick x 3 1/2" Wide (Top - Montauk Point Straight, Scallop, and Step)
Picket Dimensions (Verticals):	7/8" Thick x 7" Wide (Bottom) 1 1/2" Thick x 1 1/2" Wide (Top)
Ground Clearance:	2" (Grade variations will cause inconsistent ground clearance measurements.)
Bill of Materials may differ in some areas.	



Montauk Point Scallop
(Adobe and White embossed scalloped)




Montauk Point Step



Montauk Point Straight Custom
(Adobe embossed)



Montauk Point Scallop



Whitland
(Shown in White and
Gray Streaked)


Standard Height Options:	48", 60", and 72"
Post Spacing Options:	8' center-to-center (Notice - Posts must be exactly centered to allow for expansion.)
Suggested Post Dimensions:	48" High Fence = 5" x 5" x 84" 60" High Fence = 5" x 5" x 96" 72" High Fence = 5" x 5" x 108"
Standard Post Depth: (Local conditions may require additional depth.)	48" High Fence = 36" Post Depth 60" High Fence = 36" Post Depth 72" High Fence = 36" Post Depth
Horizontal Dimensions:	4" Thick x 6" Wide (Top and Mid) 2" Thick x 7" Wide (Bottom)
Picket Dimensions & Spacing:	7/8" Thick x 3" Wide with 0.75" Spacing (Top) 7/8" x 7" Verticals with 0" Spacing (Bottom)
Ground Clearance:	1.5" (Grade variations will cause inconsistent ground clearance measurements.)
Bill of Materials may differ in some areas.	



Our customers say it best . . .

Wonderful products! These were great people to work with. We highly recommend our dealer to anyone wanting a fence from a fair, honest and courteous businessman. He went out of his way to meet our needs.
E.W. - Spokane, WA
.....
We are very happy with the quality of the product and the professional manner in which it was installed.
S.H. - Green Bay, WI

Gain the total privacy you desire in a modern ranch-style fence design. We call it Windsor—many refer to it as “basket weave”. Regardless what you call it, this product is free from traditional maintenance. Country Estate Fence features PVC construction entirely with virgin compounds, impervious to moisture and freezing temperatures, and it won't peel, blister or rot. Forget painting, it's never needed with Country Estate Fence. When you select our product, you've eliminated the traditional maintenance found with wood, metal or imitation polyvinyl fence.



Standard Height Options:	48", 60", or 72"
Post Spacing Options:	8' center-to-center (Notice - Posts must be exactly centered to allow for expansion.)
Suggested Post Dimensions:	48" High Fence = 5" x 5" x 84" 60" High Fence = 5" x 5" x 96" 72" High Fence = 5" x 5" x 108" (Heavy Wall)
Standard Post Depth: (Local conditions may require additional depth.)	48" High Fence = 36" Post Depth 60" High Fence = 36" Post Depth 72" High Fence = 36" Post Depth
For post cap options see page 39.	
Horizontal Dimensions:	1" Thick x 6" Wide
Ground Clearance:	2" (Grade variations will cause inconsistent ground clearance measurements.)
Bill of Materials may differ in some areas.	



Windsor



Windsor



Windsor



COUNTRY ESTATE
Vinyl Products


HVHZ

This page: *Lakeland IIa*

We Care

Lakeland IIa

The Lakeland IIa provides a solid privacy wall that features tongue-and-groove verticals for greater fence strength. Lakeland has proven to be a solid choice among homeowners who want full privacy for their yard.



Lakeland IIa

Standard Height Options:	72"
Post Spacing Options:	96" & 75" center-to-center (Note – Posts must be exactly centered to allow for expansion.)
Post Dimensions:	72" High Fence = 5" x 5" x 108"
Standard Post Depth:	72" High Fence = 34" Depth
Standard Post Cap:	5" x 5" Traditional (External Flange)
Horizontal Dimensions:	2" Thick x 7" Wide (Top) 2" Thick x 7" Wide (Bottom)
Picket Dimensions (Verticals):	7/8" Thick x 7" Wide
Ground Clearance:	1 3/4" (Grade variations will cause inconsistent ground clearance measurements.)
Bill of Materials may differ in some areas.	



Lakeland IIa

(Note: Each style of fence listed is provided with the exclusive, preferential Country Estate Doweling System, for the top horizontal of each section to ensure lasting durability in the high velocity hurricane zone.)

HVHZ Lakeview™ IIa

Lakeview IIa

The Lakeview IIa, while providing some privacy, has a nominal air flow with the approximate 1" spacing between verticals. The 8' center does require an aluminum insert for HVHZ integrity but the 6' center stands well on its own with no aluminum inserts. The verticals are made of a stout 1 1/2" x 5 1/2" profile.




Lakeview IIa

Standard Height Options:	72"
Post Spacing Options:	96" & 72" center-to-center (Notice - Posts must be exactly centered to allow for expansion.)
Post Dimensions:	72" High Fence = 5" x 5" x 108"
Standard Post Depth:	72" High Fence = 34" Post Depth (Local conditions may require additional depth.)
Standard Cap Style:	5" x 5" Traditional (External Flange)
Horizontal Dimensions:	2" Thick x 3 1/2" Wide (Top) 2" Thick x 7" Wide (Bottom)
Pickets (Verticals)	Approx. 1" Between Pickets
Picket Dimensions:	1 1/2" Thick x 5 1/2" Wide
Ground Clearance:	2" (Grade variations will cause inconsistent ground clearance measurements.)
Aluminum Inserts:	H-Bar (Top) (8' Center Only) U-Bar (Bottom) (8' Center Only)



Lakeview IIa

Bill of Materials may differ in some areas.



The map indicates the wind speeds in the ASCE 7 standard that tend to govern the ASTM and HVHZ testing standards.

The Europeans use lattice throughout their homes, yards and flower gardens because it provides a beautiful setting for flowers and greenery. Durable PVC lattice by Country Estate is one of the most creative tools you can find today. These traditional lattice panels, constructed of scientifically formulated PVC compounds, never need painting. Maintenance? It's reduced to an absolute minimum — no flaking, blistering or rotting, and that's important since nearly all lattice touches the soil or plants at some point. We've combined the beauty of lattice with the impressive durability of PVC for a product with nearly unlimited design capabilities. Bring that Mediterranean feeling to your own yard today. . . with Country Estate Dura-Lattice.



SIZES AVAILABLE

4' x 8' Panels
1/4" x 1 1/2" strips placed at 45° angle
2" openings

**Country Estate® Gates may be custom-built.
Consult your Authorized Independent Country Estate Dealer.**

Country Estate gates include diagonal bracing and patented gate sockets for a long service life. Your gates will function best when placed on level ground . . . consult your dealer for the best solution. Heavy-duty commercial hardware also available.



Country Estate Three Rail



Patented Gate Socket


The Country Estate patented gate socket is an extruded product that is more durable than a molded piece, featuring an impressive wall thickness. Once this patented gate socket is properly cemented inside the end upright of the gate and the rail is cemented inside of the socket, the rail cannot move in or out and it cannot move up, down or sideways. It is an especially good device because it is contained completely inside the upright and therefore, does not detract from the gate's appearance since it cannot be seen from the exterior. There are no external brackets or visible screws.



**COUNTRY
ESTATE**
Vinyl Products

Country Estate® Gates

We offer high quality Country Estate® Gates for all of our fence styles.



We Care



All Country Estate PVC Products
may be Recycled.



*Country Estate®
Three Rail*

Country Estate® 3-Rail Fence is the most popular.



*Country Estate®
Two Rail*

Country Estate® 2-Rail Fence complements nearly any wide open expanse.

Standard Specifications

For Rail Fence (Conforms to ASTM F964)

Item	TxW	Length
Fence Rails	1 1/2" x 5 1/2"	16'
	2" x 6"	
	2 7/8" round	
Fence Posts	5" x 5"	6', 7', or 8'
	5" O.D. round	
Fence Post Cap (Deep flange cap or internal flange cap.)	5" x 5"	5" O.D. round
	5" O.D. round	
Fence Post Bracket	1 1/2" x 5 1/2" 2" x 6"	

These standard measurements apply to both 1-1/2" x 5-1/2" rails and 2" x 6" rails.

- On all Country Estate rail fencing, the top rail is mounted 2" from the top of the post.
- On two-rail and three-rail fencing, there is 11 inches between rails.
- On four-rail fencing, there is 9 inches between the rails.



*Country Estate®
Four Rail*

Country Estate® 4-Rail Fence is strong.



*Country Estate®
Round Rail*

Many customers prefer our round rail fence.

The ORIGINAL polyvinyl fence ...
still the #1 choice of equine professionals.

How much does your fence really cost?

Country Estate Fence is both cost effective and does not require traditional maintenance. Exhaustive laboratory and field tests on horse farms throughout the United States fully support all claims of economy. Country Estate Fence polyvinyl components are constructed of scientifically formulated 100% virgin PVC compounds ...consistently outperforming any and all wood, metal or imitation polyvinyl fence products.

Since the introduction of Country Estate Fence, equine professionals have applauded the greater protection polyvinyl fence provides their animals. The day Country Estate Fence is installed properly, all traditional fence maintenance halts.



Country Estate Three Rail

The world’s first polyvinyl fence was Country Estate®.



The original Country Estate Fence is the center section in this photo, installed in 1978.



All Country Estate PVC
Products may be Recycled.



Post Cap Styles

Latches and Hinges

Your choice of traditional white
(or four colors) and four unique
post cap styles.

Once the product is extruded, whether packaged or not or stored inside or outside, it begins its normal weathering process. Changes may vary depending on the atmospheric conditions in your region. Acceptability with color is that the shades are within the specified range of set industry guidelines at the time of extrusion.




(Colors shown may vary as lighting and computer screen resolutions may vary)

Country Estate® latches and hinges are time-proven stainless steel/powder coated.




Commercial Hardware

Heavy-duty commercial hinges and latches wrap around 3 sides of a 5" x 5" post.




Utility Latch

Designed for smaller post dimensions
(3 1/2" x 3 1/2" or 4" x 4")



Universal Hardware

Universal hinges wrap two sides of the post and may be used on 3 1/2" x 3 1/2", 4" x 4" or 5" x 5" posts.





Country Estate® Railing

Add lasting beauty with Country Estate porch, deck and balcony railing.

Country Estate Railings provide a beautiful finishing touch to any property and are free from traditional maintenance. The wide selection of styles provides a beautiful complement for virtually any type of architecture.

All Country Estate Railings (except teardrop baluster) meet or exceed ICC specifications listed in AC-174 and have been independently verified by Architectural Testing Incorporated. You can view the Nebraska Plastics, Inc. Code Compliance Research Report at www.archtest.com.

Country Estate Railings are designed with aesthetics and safety in mind. When properly installed, Country Estate Railings are a beautiful and secure addition to your construction project.

Country Estate Railings are made with scientifically formulated polyvinyl compounds and reinforced with a system of aluminum and wood for lasting superior structural integrity.



*1" x 2"
Railing*



*1.5" x 1.5"
Railing*



*Tear-Drop
Baluster Railing*



*1.5" x 1.5" Spindle
Railing with T-Rail*



*1.5" x 1.5"
Railing*

Combine the beauty and texture of natural wood with the durability of your favorite Country Estate vinyl products.



Embossed Wood Grain

Combine the beauty and texture of natural wood with the durability of your favorite Country Estate vinyl products by adding our new embossed wood grain profile. Available on white, almond, adobe and gray vinyl products, our embossed wood grain profile not only adds a wood-like appearance, but provides a less glossy finish than our standard vinyl profiles. For an even more natural look, the embossed wood grain profile can be combined with our streaked wood grain profile for a variegated wood grained appearance.

*Lakeland with Maxwell Rail
(Adobe Streaked)*



Maxwell Rail

Enhance the look of our most popular Country Estate privacy fence styles with the new Maxwell rail. Available in white, almond, adobe and gray in standard lengths of 95 inches and 10 feet, it adds a touch of elegance when used in conjunction with your favorite fence style and/or handrail.

*Available on selected products.
Contact your Authorized Independent
Country Estate Dealer for more information.*



Streaked Wood Grain

Add the variegated look of natural wood to our most popular privacy fencing with Country Estate's new streaked wood grain profile. Our new streaking process allows a darker-colored pigment to be "streaked" through our almond, adobe or gray material to provide a wood-grained appearance, while still maintaining a smooth, easy-to-maintain surface. However, for an even more realistic look, our streaked wood grain profile can be combined with our new embossing process for a wood-textured surface.



Spider Board

Change the look of any Lakeland, Hollingsworth or Montauk fencing choice with our new Spider Board option. Designed to replace the standard 7/8 x 7-inch verticals, Country Estate's Spider Board features identical dimensions, but provides the appearance of two 3½-inch verticals. Consequently, all post spacings, rail lengths and slot cuts remain the same. Spider Board must be specified when ordering.

The History of Country Estate® Fence Products

Nebraska Plastics, Inc. began manufacturing irrigation pipe during World War II. Due to the war effort, aluminum was impossible to get. New, experimental plastic materials were available — and thus, by default, we became a plastics company. It was a fortunate turn of events because irrigation tubes manufactured from plastic materials provided surprising benefits; they were resistant to farm chemicals, fertilizers, rust, rot, and electrolytic corrosion. The stickler with those early plastic materials was their intolerance to ultra-violet rays. They were tougher than nails in the shade, but wimps in the sunshine.

Scientific discovery, advanced technology, and product development at Nebraska Plastics, Inc. have come a long way since we began.

Major growth was accomplished when we refined formulations using polyvinyl chloride resins and state-of-the-art additives. These amazingly inert materials were tougher than anything we had seen. Fertilizers, farm chemicals, and electrolysis didn't phase them. They weren't brittle in cold weather and they retained their flexibility... they did not dent, crack, or shatter. But, most amazingly, when these materials were subjected to laboratory tests, weather accelerations, and field trials conducted under the most exacting conditions, these challengers, born of science, thumbed their noses at Ol' Sol.

In 1979, we discovered that the technology used in our irrigation tubing had an even greater future as the most advanced, innovative, and cost-effective fencing material ever produced. Over the years, we have received many suggestions for changing our Country Estate Fence. After testing, confirmation, and soul searching, a few of the suggestions were implemented because they improved and refined the design and the chemical composition of our compounds.

But those changes designed to decrease costs by compromising quality were rejected. We are sensitive to the need for recycling plastic materials, but we are convinced that Country Estate Fence Products, which must be impervious to attack from ultra-violet rays, must be

produced from high-integrity raw materials which have undergone exacting controls all the way from the refinery to our extrusion equipment.

We have rejected offers to license the Country Estate trademark so that we could save freight costs by manufacturing closer to some of our markets. If a vinyl product carries our name, it will be produced in our plant and under our control. And we have terminated distributors who chose to misrepresent our products and who compromised the quality of Country Estate Fence Products with shabby selling and installation procedures.



Some would claim that a company can only grow and prosper if it is managed by knee-jerk reaction to those opportunities that have a positive effect on bottom-line profits. But we take a lesson from the company president's wife who was famous for her lemon meringue pies. She used only the very best ingredients. She preferred juice from tree-ripened lemons, plus she had some secrets that she wouldn't tell just anyone. Through years of patience and practice, she had perfected the way she mixed and baked those ingredients. This is not to say that she was ever satisfied, and every once in a while she got all excited over some little discovery to improve her product... not that any of us could ever tell the difference. But the president's wife could tell that it's better, and that is what's important. We've seen grown men stand in line for her lemon meringue pie. Can you imagine how heartbroken she would have been if her "customers" were dissatisfied with her product?

The satisfaction of Country Estate Fence owners, all across the United States and in foreign countries, means more to us than maximizing profits. Advancements in technology coupled with our pledge to excellence continue to improve our products, because the owners and the employees of Nebraska Plastics, Inc. are committed to manufacturing the very finest fencing products... and the most beautiful, too.



A COLLECTION INSPIRED BY
THE PIONEER OF THE VINYL
FENCE INDUSTRY



Inspired by classical American design in both style and execution,
the Timber Estate™ Collection from Country Estate represents many periods and origins, distilled
to traditional styles that add immediate beauty and value to your property. Deep rich traditional
wood grain elegance that makes your property truly a Timber Estate™.

Each color offered retains its ingrained elegance and sophistication but is refined for modern
living. Combine that elegance with the durability of the vinyl that features a Limited Lifetime
Warranty, and you have the ideal solution to add permanent beauty and value to your property.



INTRODUCING
the



COLLECTION




Estate Pine

Estate Walnut

Estate Mahogany



The Lakeland provides a solid privacy wall that features tongue-and-groove verticals for greater fence strength. Lakeland has proven to be a solid choice among homeowners who want full privacy for their yard.



Lakeland

Standard Height Options:	48" , 60" , or 72"
Post Spacing Options:	8' center-to-center
(Note – Posts must be exactly centered to allow for expansion.)	
Suggested Post Dimensions:	48" High Fence = 5" x 5" x 84"
	60" High Fence = 5" x 5" x 96"
	72" High Fence = 5" x 5" x 108"
Standard Post Depth:	48" High Fence = 36" Depth
	60" High Fence = 36" Depth
	72" High Fence = 36" Depth
For post cap options see page 39.	
Horizontal Dimensions:	1 1/2" Thick x 5 1/2" Wide
	(Top/Each Side-Convex & Concave)
	2" Thick x 7" Wide (Top-Mid)
	2" Thick x 7" Wide (Bottom)
Picket Dimensions (Verticals):	7/8" Thick x 7" Wide
Ground Clearance:	2"
(Grade variations will cause inconsistent ground clearance measurements.)	
Bill of Materials may differ in some areas.	



Lakeland
In Estate Walnut



In Estate Mahogany



In Estate Pine



In Estate Pine



3 Rail
In Estate Mahogany

Country Estate® 3-Rail Fence is the most popular.

Standard Specifications

For Rail Fence (Conforms to ASTM F964)

Item	TxW
Fence Rails	1 1/2" x 5 1/2"
Fence Posts	5" x 5"
Fence Post Cap	5" x 5"
Fence Post Bracket	1 1/2" x 5 1/2"

- These standard measurements apply to both 1-1/2" x 5-1/2" rails.
- On all Country Estate rail fencing, the top rail is mounted 2" from the top of the post.
 - On two-rail and three-rail fencing, there is 11 inches between rails.
 - On four-rail fencing, there is 9 inches between the rails.

Timber Estate includes a Limited Lifetime Warranty.



In Estate Walnut



In Estate Pine

Popular Country Estate® Products


Combine the beauty and texture of natural wood with the durability of your favorite Country Estate vinyl products.



Embossed



Streaked



Maxwell Rail



Spider Board

Contact your nearest Authorized Independent Country Estate Dealer.

*Country Estate Fence is manufactured exclusively by
Nebraska Plastics, Inc.*

PO Box 45 • Cozad, Nebraska 69130-0045

Ph. 308-784-2500

NP East

809 Soundside Road • Edenton, North Carolina 27932

Ph. 252-482-1530

Country Estate is a registered trademark owned exclusively by Nebraska Plastics, Inc.

**COUNTRY
ESTATE**
Vinyl Products

FENCE FACTS

Country Estate® is the original polyvinyl fence.

*View us on the web at
www.countryestatevinyl.com*

*more
than
50 styles*

